

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S57	5	"717"/\$.ccls. (java \$1os\$1 or (java with (operating adj system))) .clm. (compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 18:44
S56	108	"717"/\$.ccls. (java \$1os\$1 or (java near2 (operating adj system))) (compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 18:42
S55	10	"717"/\$.ccls. (java \$1os\$1 or (java near2 (operating adj system))) driver (compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 17:54
S54	4	"717"/\$.ccls. (java \$1os\$1 or (java near2 (operating adj system))) (operating adj system).clm. (driver java).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 17:52
S53	2	"717"/\$.ccls. (java \$1os\$1 or (java near6 (operating adj system))) .clm. (operating adj system).clm. driver. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 17:51
S52	19	"717"/\$.ccls. (java \$1os\$1 or (java near6 (operating adj system))) .clm. (operating adj system).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 17:50
S51	62	"717"/\$.ccls. (java \$1os\$1 or (java near2 (operating adjs system)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/07 17:48

S50	7	(driver (run\$1time or "run time") compil\$6 (il or "intermediate language" or byte \$1code or "byte code" or java)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:48
S49	37	(driver (run\$1time or "run time") compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:47
S48	24	(compil\$6 with (run \$1time or (run adj time))) (compil\$6 with driver) (driver near6 (java or byte \$1code or (byte adj code) or (intermediate adj language) or il))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:24
S47	117	(compil\$6 with (run \$1time or (run adj time))) (compil\$6 with driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:23
S46	14	(java same driver same (operating adj system)) (run \$1time or (run adj time)) compil\$6. clm. (java or driver or (operating adj system)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:18
S45	30	(java same driver same (operating adj system)) (run \$1time or (run adj time)) compil\$6. clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:17
S44	241	(java same driver same (operating adj system)) (run \$1time or (run adj time))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:17
S43	908	(java same driver same (operating adj system))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:16

S40	17	(driver with (java or byte\$1code or (byte adj code) or (intermediate adj language) or il)) (jit \$3 or j-i-t\$3 or compil\$6).clm. driver.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:04
S39	79	(driver with (java or byte\$1code or (byte adj code) or (intermediate adj language) or il)) (jit \$3 or j-i-t\$3 or compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:04
S38	9	(driver with (java or byte\$1code or (byte adj code) or (intermediate adj language) or il)) (jit \$3 or j-i-t\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:04
S37	9	(driver near6 (java or byte\$1code or (byte adj code) or (intermediate adj language) or il)) (jit \$3 or j-i-t\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:03
S36	59	(driver near6 (java or byte\$1code or (byte adj code) or (intermediate adj language) or il)) (compil\$6 or jit\$3 or j-i-t\$3).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:02
S35	0	(tos\$1 or (test\$1 adj (operating adj system))) (driver near6 (java or byte \$1code or (byte adj code) or (intermediate adj language) or il)) (compil\$6 or jit\$3 or j-i-t).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:02
S34	14	(tos\$1 or (test\$1 adj (operating adj system))) (driver near6 (java or byte \$1code or (byte adj code) or (intermediate adj language) or il))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:01

S33	48	tos (driver near6 (java or byte \$1code or (byte adj code) or (intermediate adj language) or il))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:00
S32	10465	tos driver	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 12:00
S31	15	((driver near6 (il or java or (intermediate adj language) or byte \$1code or (byte adj code)))) (driver compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:45
S30	8	((driver near6 (il or (intermediate adj language) or byte \$1code or (byte adj code)))) (driver compil\$6).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:43
S29	18	((driver near6 (il or (intermediate adj language) or byte \$1code or (byte adj code)))) same compil\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:41
S28	788	(driver near6 (il or (intermediate adj language) or byte \$1code or (byte adj code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:40
S27	10	(driver compil\$6).clm. (il or (intermediate adj language) or byte \$1code or (byte adj code) (run\$1time or (run adj time))).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:38
S26	52	(driver compil\$6).clm. (il or (intermediate adj language) or byte \$1code or (byte adj code) (run\$1time or (run adj time)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:38

S25	55	(driver compil\$6). clm. (il or (intermediate adj language) or byte \$1code or (byte adj code) (run\$1time or (run adj time) or api))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:37
S24	55	(driver compil\$6). clm. (il or (intermediate adj language) or byte \$1code or (byte adj code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:37
S23	39	(driver compil\$6). clm. (il or (intermediate adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:36
S22	402	(driver compil\$6). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:36
S21	19	((byte\$1code or (byte adj code)) near6 driver) compil \$6.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:34
S20	2	10/039035 (il or (intermediate adj language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:33
S19	6	((il or (intermediate adj language)) near6 driver) compil \$6.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:31
S18	718	((il or (intermediate adj language)) near6 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:31
S17	693	((il) near6 driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/07/06 11:31

S16	10	(driver).clm. ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code or java)). clm. (driver near9 ((il or java or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code))) ((compil \$6 or jit\$3 or j-i-t\$4) same (driver (run \$1time or api or (run adj time))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:45
S15	9	(driver).clm. ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code or java)). clm. (driver near9 ((il or java or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code))) ((compil \$6 or jit\$3 or j-i-t\$4) same (driver (run \$1time or (run adj time))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:45
S14	26	(driver).clm. ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code or java)). clm. (driver near9 ((il or java or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code))) ((compil \$6 or jit\$3 or j-i-t\$4) same driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:44

S13	18	(driver).clm. ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code)).clm. (driver with ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code))) ((compil \$6 or jit\$3 or j-i-t\$4) same driver)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:21
S12	25	(driver).clm. ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code)).clm. (driver with ((il or (intermediate adj2 language) or interpreted or (byte adj code) or byte \$1code))) (compil \$6 or jit\$3 or j-i-t\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:19
S11	10	(driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm. (driver with ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code))) (compil \$6 or jit\$3 or j-i-t\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:04
S10	39	(driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm. (driver with ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:03

S9	47	(driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm. (driver same ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:03
S8	66	(driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:03
S7	0	10/039035 (firm \$1ware or (firm adj ware))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 16:01
S6	14	(compil\$6 driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:55
S5	565	(compil\$6 or driver).clm. ((il or (intermediate adj2 language) or (byte adj code) or byte \$1code)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:55
S4	9	compil\$6.clm. (driver same (il or (intermediate adj2 language) or (byte adj code) or byte \$1code)) driver.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:52
S3	41	compil\$6.clm. (driver same (il or (intermediate adj2 language) or (byte adj code) or byte \$1code))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:51
S2	2	10/039035 (il or (intermediate adj2 language))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:50



S1	10	compil\$6.clm. (driver same (il or (intermediate adj2 language)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2008/06/29 15:49
----	----	--	--	-----	----	---------------------

**7/9/2008 12:57:17 PM**

**C:\Documents and Settings\tdao1\My Documents\EAST\Workspaces\10 039 035 managing  
drivers IL.wsp**